Fixed
LCD/ PLASMA "Gallery" Cable Wall Mount

Assembly instructions

Model	VESA 800 Cable
W0	W0-800 Model

⚠ CAUTION - This Mount is intended for use only with the maximum weight as indicated. Using heavier products, might cause injury.

Fits Up to	Max	
	US	EU
56" 142cm LCD/Plasma	132lbs	60kg

1100W0.2 09.12.09

Barkan Mounting systems *A better point of view™*

For further information, visit us at:
www.barkanmounts.com

1:5

A



x2

B



x4

C

x1

1:1

D

x4

E

x4

1:2

F

x1

M

The provided M bolts may change in size according to the evolution of screen market requirements



Please make sure that package contains all parts

Tools Required



1









2

Wood stud wall

3A

Concrete, Solid bricks or Hollow concrete block walls



3B

3A Find stud, Level & Mark





Drill



4A


4A
A
D
F
Force
A
C
C
A
F
D
Force
5


3B Level & Mark
56.4mm
(2.2")
H


Drill
STOP
STOP
DANGER
Ø10mm (3/8")
80 mm (3")
2
Ø6mm (1/4")
80 mm (3")
1


10mm
(3/8")
H
The anchor must be
sunk up to 10 mm(3/8")
into the plaster coating
Plaster
coating
E


A
D
Force
F
C
1
2
X min 4
max 9
1
2
X2
4B

4B Level & Mark



Drill







5 Test!








SCREEN LEVELING
Straightening of the screen is easily executed, like straightening a picture.
Left & right adjustment
Easy screen positioning during installation , for enhanced viewing quality
Left
Right



Dear customer, we welcome your comments and suggestions to improve our products, ease of assembly and instructions. Please contact us via our website: **www.barkanmounts.com**